







CONCRETE PUMP PARTS AND ACCESSORIES

pcs.com.au

1300 210 910 | sales@pcs.com.au



1300 210 910 | sales@pcs.com.au pcs.com.au

Concrete Pump Accessory Starter Packs

2" Pack

Includes the following 3 pcs x Victaulic Snap Clamps 5 pcs x Rubber Gaskets 2 pcs x Sponge Balls

PCS Product Code

CPAP-2



3" Pack

Includes the following 4 pcs x Victaulic Snap Clamps 5 pcs x Rubber Gaskets 2 pcs x Sponge Balls

PCS Product Code

CPAP-3



4" Pack

Includes the following 5 pcs x Victaulic Snap Clamps 6 pcs x Rubber Gaskets 2 pcs x Sponge Balls

PCS Product Code

CPAP-4



Lightweight Concrete Line Pump Delivery Pipes



Lightweight Line Pump Pipes with Welded Victaulic Ends

- Korean made 3mm thick seamed pipe great for everyday line pump work
- 85BAR working pressure using 1020 carbon steel
- Painted in 2 Pac white colour.
- Heavy duty slip on ends used.

2" I.D Pipe

Length	Thickness	PCS Product Code
3m	3mm	DP-2-3000-03

Please note these pipes are made to order with 8-10 weeks lead time as we do not carry in stock.

3" I.D Pipe

Length	Thickness	PCS Product Code
3m	3mm	DP-3-3000-03

4" I.D Pipe

Length	Thickness	PCS Product Code
0.5m	3mm	DP-4-0500-03
1m	3mm	DP-4-1000-03
1.5m	3mm	DP-4-1500-03
2m	3mm	DP-4-2000-03
3m	3mm	DP-4-3000-03

Custom lengths and colours also available. Call 1300 210 910 for more information.



Static Line/ Tower Boom Set Up

PCS Can help arrange all your required delivery pipes, elbows, floor/wall brackets and clamps for your static line or tower boom set up.

Call us on 1300 210 910 for more information











Boom Pump/Static Line Concrete Delivery Pipes





4" Boom/Static Line Concrete Pump Pipes with Welded Victaulic Ends

- A heavier grade Korean made seamless pipe used on static lines or concrete booms with a 4" pipeline
- 85BAR working pressure using 1020 carbon steel
- Painted in 2 Pac white colour.
- Heavy duty slip on ends used.

Thickness	Length	PCS Product Code
4.5mm	3m	DP-4-3000-045
7mm	3m	DP-4-3000-07

Please note 7mm pipes are made to order as we do not carry in stock Please allow 8-10 weeks for delivery

4.5" Boom/Static Line Concrete Pump Pipes with Welded Victaulic Ends

- Korean made 4" pipes with metric Schwing 4.5" welded on victaulic ends
- 85BAR working pressure using 1020 carbon steel
- Painted in 2 Pac white colour.
- Heavy duty slip on ends used.

Thickness	Length	PCS Product Code
4.5mm	3m	DP-45-3000-045
7mm	3m	DP-45-3000-07

Please note 7mm pipes are made to order as we do not carry in stock Please allow 8-10 weeks for delivery

Custom lengths and colours also available. Call 1300 210 910 for more information.



5" Standard Boom/Static Line ST52 Concrete Pump Pipes with Welded Victaulic Ends

- Korean made ST52 seamless pipe used on static lines or smaller concrete booms with a 5" pipeline
- 85BAR working pressure using 1020 carbon steel
- Painted in 2 Pac white colour.
- Heavy duty hardened slip on ends used.
- Custom lengths made to order

Thickness	Length	PCS Product Code
4.5mm	0.5m	DP-5-0500-045-ST
4.5mm	1m	DP-5-1000-045-ST
4.5mm	1.5m	DP-5-1500-045-ST
4.5mm	2m	DP-5-2000-045-ST
4.5mm	3m	DP-5-3000-045-ST



5" Twin Wall Concrete Pump Pipes with Welded Victaulic Ends

- 60-65HRC hardening process. Korean made
- Carbon insert long lasting victaulic ends
- 85BAR working pressure using ASTM1020 carbon steel
- Painted in 2 Pac white colour
- Boom pipes (4.5mm) and deck pipes (7mm) available
- Custom lengths made to order

Thickness	Length	PCS Product Code
4.5mm	3m	DP-5-3000-045-TW
7mm	3m	DP-5-3000-07-TW



5" Hardened/Heat Treated Concrete Boom Pump Pipes with Welded Victaulic Ends

- Korean made hardened pipes with 85BAR working pressure using 1020 carbon steel
- Painted in 2 Pac white colour.
- Heavy duty hardened slip on ends used.
- Custom lengths made to order

Thickness	Length	PCS Product Code
4.5mm	3m	DP-5-3000-045-HP
7mm	3m	DP-5-3000-07-HP



5" Static Line ST52 Pipes with PM Male/Female High-Pressure Ends

- 85BAR working pressure using ASTM1020 carbon steel
- Painted in 2 Pac white colour
- great for running long static lines in tunnels or other enclosed sites
- Custom lengths made to order

Thickness	Length	PCS Product Code
5mm	3m	DP-5-3000-05-ST-MF

PCS also has available high-pressure bends with male/female ends to suit static line pipes.

Refer to page 14.

Have a boom pipe kit you need a quote on?

Call us on 1300 210 910 to get a quote on custom pipe kit that also includes a paint colour of your choice. (8-10 Weeks Lead time)

Immiediate delivery available for white boom pipe kits.



CONCRETE DELIVERY PIPE INSPECTIONS, TAGGING AND HYDROSTATIC TESTING SERVICE



Hose Inspections

We offer a free visual inspection on all concrete delivery pipes at our Campbelltown warehouse that involves:

- Testing the thickness of pipes using our calibrated thickness tester
- Wear and tear damage including the identification of any outer pipe damage that may affect the working pressure of the pipe.
- Corrosive damage to the pipe/fittings.

Tagging

- PCS works with our biggest clients in implementing a pipe management program using infochip® weldable RFID chips to tag each individual concrete delivery pipe.
- The RFID chips are welded onto the end of the pipe and are readable off any android phone.







Hydrostatic Testing Service



- PCS has an in house hydrostatic testing service using water with compressed air that can test concrete delivery pipes up to 170BAR.
- Tests are conducted in accordance to Australian Standards
- Each test certificate will link back to the RFID tag on the pipe being tested
- We can test new pipes as well as conduct the required yearly pressure testing on your pipe.
- PCS is happy to arrange pickup and delivery of any pipe that needs to be tested Australia wide using any one of our network of couriers



Concrete Pump Elbows/Bends

3" Line Pump Elbows with Welded Victaulic Ends

- Korean made 7mm thick elbows for everyday line pump work
- 85BAR working pressure using 1020 carbon steel
- Painted in 2 Pac white colour.
- "A" Length to be measured as follows







45D Elbow

	e I.D	Thickness	Height A	PCS Product Code
3"	76mm	7mm	100mm	ELB-3-R76-45D
3"	76mm	7mm	380mm	ELB-3-R500-45D

	e I.D	Thickness	Height A	PCS Product Code
3"	76mm	7mm	150mm	ELB-3-R76-90D
3"	76mm	7mm	480mm	ELB-3-R500-90D

4" Line Pump Elbows with Welded Victaulic Ends

- Korean made 7mm thick elbows for everyday line pump work
- 85BAR working pressure using 1020 carbon steel
- Painted in 2 Pac white colour.- "A" Length to be measured as follows







15D Elbow

	e I.D	Thickness	Height A	PCS Product Code
4"	102mm	7mm	100mm	ELB-4-R150-15D
4"	102mm	7mm	650mm	ELB-4-R1000-15D

22D Elbow

	e I.D	Thickness	Height A	PCS Product Code
4"	102mm	7mm	110mm	ELB-4-R150-22D
4"	102mm	7mm	380mm	ELB-4-R343-22D
4"	102mm	7mm	650mm	ELB-4-R1000-22D



35D Elbow

		e I.D	Thickness	Height A	PCS Product Code
4	."	102mm	7mm	235mm	ELB-4-R343-35D



	e I.D	Thickness	Height A	PCS Product Code
4"	102mm	7mm	520mm	ELB-4-R500-60D

4" Line Pump Elbows with Welded Victaulic Ends







45D Elbow

Pipe I.E	Thickness	Height A	PCS Product Code
4" 102	mm 7mm	135mm	ELB-4-R150-45D
4" 102	mm 7mm	460mm	ELB-4-R343-45D
4" 102	mm 7mm	585mm	ELB-4-R420-45D
4" 102	mm 7mm	705mm	ELB-4-R1000-45D

90D Elbow

	e I.D	Thickness	Height A	PCS Product Code
4"	102mm	7mm	130mm	ELB-4-R150-90D
4"	102mm	7mm	328mm	ELB-4-R343-90D
4"	102mm	7mm	380mm	ELB-4-R350-90D
4"	102mm	7mm	410mm	ELB-4-R420-90D
4"	102mm	7mm	480mm	ELB-4-R500-90D
4"	102mm	7mm	850mm	ELB-4-R1000-90D



4" Weldable Steel Bends

- Korean made 7mm thick
- Available in 45D and 90D sizes

Pipe I.D				Height A	PCS Product Code
102mm	45D	4"	7mm	445mm	ELB-4-R500-45D-NE
102mm	90D	4"	7mm	480mm	ELB-4-R500-90D-NE

5" High-Manganese Cast Boom Elbows with Victaulic Ends

- Korean made.
- 11mm(Collar)/13mm(Bend) thick elbow for Boom Pumps
- Painted in 2 Pac white colour.
- "A" length to be measured as follows







10D Elbow

Pipe I.D	Thickness	Height A	PCS Product Code
5" 127mm	11/13mm	90mm	ELB-5-R600-10D



20D Elbow

Pip	e I.D	Thickness	Height A	PCS Product Code
5"	127mm	11/13mm	110mm	ELB-5-R275-20D



45D Elbow

	I.D	Thickness	Height A	PCS Product Code
5" 1	27mm	11/13mm	145mm	ELB-5-R275-45D

15D Elbow

	pe I.D	Thickness	Height A	PCS Product Code
5"	127mm	11/13mm	100mm	ELB-5-R275-15D



	e I.D	Thickness	Height A	PCS Product Code
5"	127mm	11/13mm	130mm	ELB-5-R275-30D





90D Elbow

Fatback Elbow ELB-5-R275-90D-FB

Pipe I.D	Thickness	Height A	PCS Product Code
5" 127m	m 11/13mm	110mm	ELB-5-R180-90D
5" 127m	m 11/13mm	150mm	ELB-5-R230-90D
5" 127m	m 11/13mm	200mm	ELB-5-R275-90D
5" 127m	m 16/18mm	200mm	ELB-5-R275-90D-FB

5" Twin Wall Boom Elbows with Welded on Hardened Victaulic Ends

- Korean made.
- 11mm(Collar)/13mm(Bend) thick elbow for Boom Pumps
- Painted in 2 Pac white colour.
- "A" Length to be measured as follows







10D Elbow

Pipe I.D		Thickness	Height A	PCS Product Code
5"	127mm	11/13mm	90mm	ELB-5-R600-10D-TW

15D Elb	ow
---------	----

Pipe I.D	Thickness	Height A	PCS Product Code
5" 127mm	11/13mm	100mm	ELB-5-R275-15D-TW



20D Elbow

	ipe I.D	Thickness	Height A	PCS Product Code
5'	′ 127mm	11/13mm	110mm	ELB-5-R275-20D-TW



Pipe I.D		Thickness	Height A	PCS Product Code
5"	127mm	11/13mm	130mm	ELB-5-R275-30D-TW



45D Elbow

	l.D	Thickness	Height A	PCS Product Code
5″ 1	I27mm	11/13mm	145mm	ELB-5-R275-45D-TW

90D Elbow

	I.D Thi	:kness He		PCS Product Code
5" 12	27mm 11/	′13mm 11	0mm	ELB-5-R180-90D-TW
5" 12	27mm 11/	′13mm 15	0mm	ELB-5-R230-90D-TW
5" 12	27mm 11/	′13mm 20	00mm	ELB-5-R275-90D-TW



5" Static Line Bends with Welded on Hardened Victaulic Ends

- Korean made long radius bends great for setting up static lines
- Painted in 2 Pac white colour.
- "A" length to be measured as follows







15D Elbow

	pe I.D	Thickness	Height A	PCS Product Code
5"	127mm	7mm	430mm	ELB-5-R500-15D
5"	127mm	7mm	650mm	ELB-5-R1000-15D

22D Elbow

Pipe I.D	Thickness	Height A	PCS Product Code
5" 127mm	7mm	435mm	ELB-5-R500-22D
5" 127mm	7mm	650mm	ELB-5-R1000-22D





	e I.D	Thickness	Height A	PCS Product Code
5"	127mm	7mm	380mm	ELB-5-R500-45D
5"	127mm	7mm	705mm	ELB-5-R1000-45D



Pip	e I.D	Thickness	Height A	PCS Product Code
5"	127mm	7mm	480mm	ELB-5-R500-90D
5"	127mm	7mm	850mm	ELB-5-R1000-90D

5" Static Line Bends with Putzmeister Male/Female High Pressure Ends

- Korean made long radius bends great for setting up static lines
- Painted in 2 Pac white colour.
- A length to be measured as follows








22D Elbow

Pipe I.D	Thickness	Height A	PCS Product Code
5" 127mm	7mm	435mm	ELB-5-R500-22D-MF
5" 127mm	7mm	650mm	ELB-5-R1000-22D-MF



	e I.D	Thickness	Height A	PCS Product Code
5"	127mm	7mm	380mm	ELB-5-R500-45D-MF
5"	127mm	7mm	705mm	ELB-5-R1000-45D-MF







5" Weldable Static Line Bends

Korean made 7mm thick bend, great for customising your bends to suit your project needs.

Pipe I.D		Height A	PCS Product Code
5" 127mm	45D	670mm	ELB-5-R1000-45D-NE
5" 127mm	90D	445mm	ELB-5-R500-90D-NE
5" 127mm	90D	815mm	ELB-5-R1000-90D-NE

Concrete Pump Hopper Back Elbows

90D Reducing Hopper Elbows With Victaulic Ends

Size	PCS Product Code
4" x 3"	ELB-43-90D-RB
5" x 3"	ELB-53-90D-RB
5" x 4"	ELB-54-90D-RB
6" (175mm O.D) x 4"	ELB-64-90D-RB-175
6" (175mm O.D) x 5"	ELB-65-90D-RB-175
6" (168mm O.D) x 5"	ELB-65-90D-RB-168
6" PM Male x 5"	ELB-65-90D-MV





8mm Hardened 1020 Steel

90D Hopper Elbow with

Size	PCS Product Code
$5" \times 90D$ Elbow with $5"$ to $4" \times 300$ mm Straight Reducer	ELB-54-90D-300
5" x 90D Elbow with 5" to 4" x 500mm Straight Reducer	ELB-54-90D-500
6" (175mm O.D) x 90D Elbow with 6" to 4" x 350mm Straight Reducer	ELB-64-90D-350-175
6" (178mm O.D Transcrete End) x 90D Elbow with 6" to 4" x 350mm Straight Reducer	ELB-64-90D-350-178
6" (175mm O.D) x 90D Elbow with 6" to 5" x 200mm Straight Reducer	ELB-65-90D-200-175
6" (178mm O.D Transcrete End) x 90D Elbow with 6" to 5" x 200mm Straight Reducer	ELB-65-90D-200-178

6" X 90D Hopper Elbows with Standard Victaulic Ends



Product Details	PCS Product Code
6" (175mm O.D) \times 90D \times R281 Hopper Elbow with Victaulic Ends	ELB-6-R281-90D-175

6" X 90D Hopper Elbows with One Victaulic End and One PM Male End



Product Details	PCS Product Code
6" x R281 X 90D Hopper Elbow with One Victaulic 6"(168mm O.D) End and One PM Male End	ELB-6-R281-90D-MV-168
6" x R281 X 90D Hopper Elbow with One Victaulic 6"(175mm O.D) End and One PM Male End	ELB-6-R281-90D-MV-175

6" X 90D Hopper Elbows with High Pressure Male/Female PM Ends



Product Details	PCS Product Code
6" x R281 X 90D Hopper Elbow with PM Male/Female High-Pressure Ends	ELB-6-R281-90D-MF



Swinging 90D Boom Hopper Elbow



 $7" \times 6" \times 90D$ Hopper Elbow with PM Male/Female End

Product Details	PCS Product Code
7" x 6" x 90D Hopper Elbow with PM Male/Female End	ELB-76-90D



7" x 6" x 90D Hopper Elbow with PM Male/Female End and 5" Victaulic Slurry Pot.

Product Details	PCS Product Code
7" x 6" x 90D Hopper Elbow with PM Male/Female End and 5" Victaulic Slurry Pot	ELB-76-90D-SP

180D Steel Elbows with Welded Victaulic Ends

Each Elbow comes with Certified 3T Lifting Lugs



Pipe I.D	PCS Product Code
3"	ELB-3-R180D
4"	ELB-4-R180D
5"	ELB-5-R180D

Concrete PumpSteel Reducers

- Korean made 8mm thick heavy-duty steel reducers
- 85BAR working pressure using 1020 carbon steel
- Painted in 2 Pac white colour.
- Heavy duty slip on ends used.
- Each reducer comes with a handle and unique serial number identification tag









300mm Length Reducers

	PCS Product Code
3" to 2"	RED-32-300
4" to 3"	RED-43-300

600mm Length Reducers

Reducer Size	PCS Product Code
3" to 2"	RED-32-600
3" to 2.5"	RED-325-600
4" to 2"	RED-42-600
4" to 3"	RED-43-600
4" to 3.5" (Non-Reducing 4" End	d) RED-435-600
4.5" (Schwing End) to 3"	RED-453-600
5" to 3"	RED-53-600
5" to 3.5" (Non-Reducing 4" End	d) RED-535-600
5" to 4"	RED-54-600
5" to 4.5" (Schwing End)	RED-545-600
6" to 5"	RED-65-600

Custom sizes can be made to order. Minimum quantity may apply. Please call 1300 210 910 for more information.





900mm Length Reducers

	PCS Product Code
2.5" (Non-Reducing 3" End) to 2"	RED-252-900
3" to 2"	RED-32-900
3" to 2.5" (Non-Reducing 3" End)	RED-325-900
4" to 2"	RED-42-900
4" to 2.5" (Non-Reducing 3" End)	RED-425-900
4" to 3"	RED-43-900
4" to 3.5" (Non-Reducing 4" end)	RED-435-900
4.5" (Schwing End) to 3"	RED-453-900
4.5" (Schwing End) to 2"	RED-452-900
4.5" (Schwing End) to	RED-4525-900
2.5" (Non-Reducing 3" End)	KLD 4323 700
5" to 3"	RED-53-900
5" to 3.5" (Non-Reducing 4" End)	RED-535-900
5" to 4"	RED-54-900
5" to 4.5" (Schwing End)	RED-545-900
6" to 4"	RED-64-900

1200mm Length Reducers

Reducer Size	PCS Product Code
3" to 2"	RED-32-1200
4" to 2"	RED-42-1200
4" to 3"	RED-43-1200
5" to 4"	RED-54-1200
5" Male end to 4"	RED-54-1200-MV *
5" to 4.5" (Schwing End)	RED-545-1200 *

^{*} Reducer made to order

Custom sizes can be made to order. Minimum quantity may apply. Please call 1300 210 910 for more information.

Concrete Boom Pipeline Reducer





9mm Single Wall

Reducer Size	Reducer Length	6" End Type	5" End Type	PCS Product Code
6" to 5"	1200mm	Victaulic End (175mm O.D)	Victaulic End	RED-65-1200-175
6" to 5"	1200mm	Victaulic End (168mm O.D)	Victaulic End	RED-65-1200-168
6" to 5"	1200mm	PM High Pressure Male End	Victaulic End	RED-65-1200-MV
6" to 5"	1200mm	PM High Pressure Male End	PM High Pressure Female End	RED-65-1200-MF
6" to 5"	1240mm	Schwing 6" O.D 194mm	Victaulic End	RED-65-1240-SV
6" to 5"	1310mm	Victaulic End (168mm O.D)	Victaulic End	RED-65-1310-168
6" to 5"	1310mm	PM High Pressure Male End	Victaulic End	RED-65-1310-MV

12mm Twin Wall

Reducer Size	Reducer Length	6" End Type	5" End Type	PCS Product Code
6" to 5"	1200mm	Victaulic End	Victaulic End	RED-65-1200-175-TW
6" to 5"	1200mm	Victaulic End (6" OD – 168mm)	Victaulic End	RED-65-1200-168-TW
6" to 5"	1200mm	PM High Pressure Male End	Victaulic End	RED-65-1200-MV-TW

T-Piece/Slurry Pot and Caps



T-Piece/Slurry Pot with Welded Victaulic Ends

Pipe I.D	Length	PCS Product Code
3"	300mm	TP-3-300
4"	300mm	TP-4-300
4"	600mm	TP-4-600
5"	600mm	TP-5-600





Victaulic Slurry Cap

T-Piece I.D	PCS Product Code
3"	SC-3
4"	SC-4
5"	SC-5

⁻ Used on T-piece/Slurry Pot and on the end of a boom reducer

Slurry Cap with Welded Rod

T-Piece I.D	PCS Product Code
4" Victaulic	SC-4-R
5" Victaulic	SC-5-R
5" Male PM	SC-5-R-PM


⁻ Used to catch sponges when sucking concrete back into hopper

Fixed/Static Concrete Pipe Line Accessories

Floor/Wall Brackets

- Static line concrete pipe brackets
- Base plate size 200mm x 240mm with 22mm holes
- M18 threaded U-Bolt
- Bracket allows for 100mm clearance between ground and the pipe
- 150mm clearance brackets are available with lead-time of 10-12 weeks









Floor Bracket with Single U-Bolt

Used for static lines being run along the ground

Pipe I.D	PCS Product Code
4"	FWB-4
5"	FWB-5

Wall Bracket with Double U-Bolt

Used for static lines placed up against a wall

Pipe I.D	PCS Product Code
4"	FWB-4-D
5"	FWB-5-D





U-Bolt with Weldable Base Plate

Used for securing pipes to the ground/wall where a floor/wall bracket cannot be used
 Also available with a rubber coating on the U Bolt. Lead-time 10-12 weeks

Pipe I.D	PCS Product Code
4"	UB-4-B
5"	UB-5-B

U-Bolt

Used for securing pipes to the ground/wall where a floor/wall bracket cannot be used

Pipe I.D	PCS Product Code
4"	UB-4
5"	UB-5

Concrete Manual Shut off Valve with Victaulic Ends

- Great for stopping concrete from pushing down a line
- Simply hit the plate in to block concrete movement

Pipe I.D	PCS Product Code
3"	SOV-3
4"	SOV-4
5"	SOV-5



Hydraulic Shut Off Bullet Valve







- Comes with T-Piece, bullet valve and clamp
- Great for high rise static line work

Pipe I.D	End Type on T-Piece	PCS Product Code
4"	Victaulic	HBV-4
5"	Victaulic	HBV-5
5"	Female PM High Pressure Ends	HBV-5-HP

Victaulic Steel Weld-On Ends











Butt Weld Victaulic Ends 40mm Wide

Pipe I.D	PCS Product Code
2"	COL-2-40
2.5"	COL-25-40
3"	COL-3-40
4"	COL-4-40
4" with 4.5" Shwing End	COL-45-40
5"	COL-5-40
6" (168mm O.D)	COL-6-40-168
6" (175mm O.D)	COL-6-40-175

HD Victaulic Weldable Slip-On Ends

Pipe I.D	Thickness	PCS Product Code
2"	3-4mm	COL-2-HD
3"	3-4mm	COL-3-HD
4"	4.5mm	COL-4-HD-45
4"	7mm	COL-4-HD-7







Hardened Pipe Slip-On Weldable Ends with Carbon Insert

Pipe I.D	Thickness	PCS Product Code
5"	4.5mm-5mm	COL-5-H-45
5"	7mm	COL-5-H-7

Twin Wall Pipe Slip-On Weldable Ends with Carbon Insert

Pipe I.D	Thickness	PCS Product Code
5"	4.5mm-5mm	COL-5-TW-45
5"	7mm	COL-5-TW-7





High-Pressure Putzmeister Male/Female Butt Weld Ends

Pipe I.D	Thickness	PCS Product Code
5"	4.5mm-5mm	COL-5-PM-MF-45
5"	7mm	COL-5-PM-MF-7
6"	4.5mm-5mm	COL-6-PM-MF-45
6"	7mm	COL-6-PM-MF-7

Please note these ends ship as a male/female set



Snap/Lever Victaulic Clamps

130 BAR working pressure with 2:1 safety factor Comes with rubber gasket, safety pin and warning label

Pipe I.D	PCS Product Code
2"	CLP-2-S
3"	CLP-3-S
4"	CLP-4-S
4 1/2"	CLP-45-S
5"	CLP-5-S
6"	CLP-6-S-175





Allen Key 2-Bolt Victaulic Clamp

130 BAR working pressure with 2:1 safety factor Comes with rubber gasket

Pipe I.D	PCS Product Code
5"	CLP-5-2B

Cast Victaulic Clamps



5" Victaulic Galvanised Snap/Lever Clamp

130 BAR working pressure with 2:1 safety factor Comes with rubber gasket, safety pin and warning label

Pipe I.D	PCS Product Code
5"	CLP-5-S-G



Single Bolt Victaulic Clamps

130 BAR working pressure with 2:1 safety factor Comes with rubber gasket

Pipe I.D	PCS Product Code
3"	CLP-3-B
4"	CLP-4-B
5"	CLP-5-B
6"	CLP-6-B-175



Allen Key 4-Bolt Victaulic Clamp

130 BAR working pressure with 2:1 safety factor Comes with rubber gasket

Pipe I.D	PCS Product Code
5"	CLP-5-4B



Victaulic Single Bolt Clamp with Fixed Bracket

130 BAR working pressure with 2:1 safety factor Comes with rubber gasket, Great for securing steel pipes to concrete boom pumps or piling rigs

Pipe I.D	Centre Hole to Centre Hole	PCS Product Code
4"	195mm	CLP-4-B-FB
5"	210mm	CLP-5-B-FB



Victaulic Snap Clamp with Fixed Bracket

130 BAR working pressure with 2:1 safety factor Comes with rubber gasket, safety pin and warning label Great for securing steel pipes to concrete boom pumps or piling rigs

Pipe I.D	Centre Hole to Centre Hole	PCS Product Code
4"	195mm	CLP-4-S-FB
5"	210mm	CLP-5-S-FB



Victaulic Allen Key 2- Bolt Clamp with Fixed Bracket

130 BAR working pressure with 2:1 safety factor Comes with rubber gasket, Great for securing steel pipes to concrete boom pumps or piling rigs

Pipe I.D	Centre Hole to Centre Hole	PCS Product Code
5"	210mm	CLP-5-2B-FB

Victaulic Single Bolt Repair Kit

Includes bolt, nut and pin

Clamp Size	PCS Product Code
3"	CLP-3-B-RK
4"	CLP-4-B-RK
5"	CLP-5-B-RK



Machine Forged Victaulic Clamps



Single Bolt Machine Forged Victaulic Clamps

130 BAR working pressure with 2:1 safety factor Comes with rubber gasket

Pipe I.D	PCS Product Code
3"	CLP-3-B-FG
4"	CLP-4-B-FG
5"	CLP-5-B-FG
6" (168mm O.D)	CLP-6-B-FG-168
6" (175mm O.D)	CLP-6-B-FG-175



Snap/Lever Machine Forged Victaulic Clamps

130 BAR working pressure with 2:1 safety factor Comes with wide shoulder rubber gasket, safety pin and warning label

	PCS Product Code
2"	CLP-2-S-FG
3"	CLP-3-S-FG
4"	CLP-4-S-FG
4 1/2"	CLP-45-S-FG
5"	CLP-5-S-FG
6" (168mm O.D.)	CLP-6-S-FG-168-20
6" (175mm O.D)	CLP-6-S-FG-175

Allen Key 2 Bolt Machine Forged Victaulic Clamp

130 BAR working pressure with 2:1 safety factor Comes with rubber gasket.

Great for connecting tremi pipes down a hole.

Pipe I.D	PCS Product Code
4"	CLP-4-2B-FG
5"	CLP-5-2B-FG



Safety Pins for Victaulic Clamps



- 4mm Stainless Steel
- Shipped in a pack of 20

Size I.D	PCS Product Code
Regular Length (95mm)	CLP-20-R
Extended Length (120mm)	CLP-20-L



200mm Long R-Type Pins

- Shipped in a pack of 5

Size I.D	PCS Product Code
One Size	CLP-5-R-200



R-Type Pins with Additional Safety Clip

- 4mm Stainless Steel
- Shipped in a pack of 20

Size I.D	PCS Product Code
Extended Length (120mm)	CLP-20-L-CLIP



70mm Boom Clamp Locking Pin

- Shipped in a pack of 10

Size I.D	PCS Product Code
One Size	CLP-10-BLP



Replacement Safety Pin/Label/Cord Set

- 4mm Stainless Steel
- Shipped in a pack of 10

Size I.D	PCS Product Code
One Size	CLP-10-PL



Triangle Safety Pins

- 3mm Stainless Steel
- Shipped in a pack of 20

Size I.D	PCS Product Code
One Size	CLP-20-T



Clamps for High Pressure PM Male/Female Fittings



Single Bolt Clamp

Pipe I.D	PCS Product Code
5"	CLP-HP-5-B
6"	CLP-HP-6-B



Wedge Clamp Includes Wedge Piece

Pipe I.D	PCS Product Code
5"	CLP-HP-5-W
6"	CLP-HP-6-W



Wedge Piece Replacement Part

Pipe I.D	PCS Product Code
6"	CLP-HP-6-WP



High Pressure Bolt Clamp Repair Kit

Clamps used on	PCS Product Code
CLP-HP-5-B	CLP-HP-BRK
CLP-HP-6-B	CLP-HP-BRK

Rubber Gaskets for Victaulic Clamps

PCS offers a range of rubber gaskets to suit all our victaulic snap and bolt clamps. Our gaskets come in either a soft, medium or hard rubber compound and various widths to suit a wide range of clamps and working conditions.

2" Clamp Rubber Gasket





Natural/Synthetic rubber blend

Compound	Width	PCS Product Code
Soft	20mm	RG-2-S

3" Clamp Rubber Gasket





Natural/Synthetic rubber blend

Compound	Width	Comment	PCS Product Code
Soft	20mm	Great all-rounder used on cast and forged clamps	RG-3-S
Medium	20mm	Great all-rounder used on cast and forged clamps	RG-3-M
Hard	20mm	Used on forged clamps	RG-3-H

4" Clamp Rubber Gasket





Natural/Synthetic rubber blend

Compound	Width	Comment	PCS Product Code
Soft	18mm	Used on cast A4 clamps only	RG-4-S
Medium	20mm	Great all-rounder used on cast and forged clamps	RG-4-M
Medium	22mm	Wide shoulder gasket used on forged clamps only	RG-4-FG-M
Hard	22mm	Wide shoulder gasket used on forged clamps only	RG-4-FG-H

4.5" Metric/Schwing Clamp Rubber Gasket





Natural/Synthetic rubber blend

Compound	Width	Comment	PCS Product Code
Soft	22mm	Used on cast A45 clamps only	RG-45-S
Medium	25mm	Wide shoulder gasket used on forged clamps only	RG-45-M

5" Standard Clamp Rubber Gasket





Natural/Synthetic rubber blend

Compound	Width	Comment	PCS Product Code
Soft	20mm	Used on cast A5 clamps only	RG-5-S
Medium	22mm	Great all-rounder used on cast and forged clamps	RG-5-M

5" Putzmeister Clamp Rubber Gasket





Natural/Synthetic rubber blend

Compound	Width	Comment	PCS Product Code
Soft	22mm	Used on concrete boom pipe clamps	RG-5-PM-S
Hard	22mm	Used on concrete boom pipe clamps	RG-5-PM-H

5" V-Type Clamp Rubber Gasket





Natural/Synthetic rubber blend Great gasket for pivot elbows/bends

Compound	Width	Comment	PCS Product Code
Soft	22mm	Used on concrete boom pump elbows	RG-5-V-S
Hard	22mm	Used on concrete boom pump elbows	RG-5-V-H

5" Clamp Rubber Gasket with Lip





Natural/Synthetic rubber blend Great gasket for pivot elbows/bends

Compound	Width	Comment	PCS Product Code
Soft	24mm	Used on concrete boom pump elbows	RG-5-L-S
Hard	24mm	Used on concrete boom pump elbows	RG-5-L-H

6" Clamp Rubber Gasket





Natural/Synthetic rubber blend

Compound	Width	Comment	PCS Product Code
Soft	22mm	Great all-rounder used on cast and forged clamps	RG-6-S
Medium	22mm	Great all-rounder used on cast and forged clamps	RG-6-M
Medium	22mm	Used on special Putzmeister clamps with 166mm O.D End	s RG-6-M-166
Medium	24mm	Thick walled gasket used on forged clamps only	RG-6-M-TH

7" Clamp Rubber Gasket





Natural/Synthetic rubber blend

Compound	Width	Comment	PCS Product Code
Medium	23mm	Great all-rounder used on cast and forged clamps	RG-7-M



Clear Poly Rubber Gasket

Heavy duty synthetic poly rubber blend

Compound	Pipe I.D	Width	Comment	PCS Product Code
Medium/Hard	2"	22mm	Used on forged clamps	RG-2-P
Medium/Hard	3"	22mm	Used on forged clamps	RG-3-P
Medium/Hard	4"	22mm	Used on forged clamps	RG-4-P
Medium/Hard	5"	22mm	Used on forged clamps	RG-5-P
Medium/Hard	6"	22mm	Used on forged clamps	RG-6-P





PM Female Rubber O Ring

- Pack of 4pcs

Clamp/Fitting Size	PCS Product Code
5"	OR-PM-5
6"	OR-PM-6



Concrete Pump Cleaning Accessories

PCS offers a range of concrete pump cleaning products and accessories for trailer, line and boom pumps.


Zembrone™ Made in Europe Soft Sponge Balls



Quality long lasting sponge balls

Sponge Ball Size/Colour	Pipe/Hose I.D That Can Be Cleaned	PCS Product Code
2" Yellow	2"/2.5"	SPG-2E
3" Blue	2.5"/ 3"	SPG-3E
4" Green	3"/3.5"/4"	SPG-4E
5" Light Pink	3.5"/4"/5"	SPG-5E
6" Red	5"/6"	SPG-6E

Budget Orange Sponge Balls



Great for line hands who always lose sponge balls

Soft Sponge Quality

Sponge Ball Size	Pipe/Hose I.D That Can Be Cleaned	PCS Product Code
2"	2"/2.5"	SPG-2S
3"	2.5"/ 3"	SPG-3S
4"	3"/3.5"/4"	SPG-4S
5"	4"/5"	SPG-5S
6"	5"/6"	SPG-6S

Medium Sponge Quality

Sponge Ball Size	Pipe/Hose I.D That Can Be Cleaned	PCS Product Code
4"	3.5"/4"	SPG-4M
5"	4"/5"	SPG-5M
6"	5"/6"	SPG-6M

Hard Sponge Quality

	Pipe/Hose I.D That Can Be Cleaned	PCS Product Code
4"	4"	SPG-4H
5"	5"	SPG-5H
6"	6"	SPG-6H

5" Hard Cylinder Sponge

PCS Product Code	
SPG-5H-C	







Vacuum Packed Sponges

Great alternative to standard foam sponges. Can be hidden away in the truck for emergencies.

Soft Square Yellow Sponges



	Pipe/Hose I.D That Can Be Cleaned	Box Quantity	PCS Product Code
150mm x 150mm x 150mm	3"/3.5"/4"	50 pcs	SSP-150
200mm x 200mm x 200mm	5"/6"	50 pcs	SSP-200

Soft Cylinder Yellow Sponges



	Pipe/Hose I.D That Can Be Cleaned	Box Quantity	PCS Product Code
150mm x 150mm x 200mm	3"/3.5"/4"	50 pcs	CSP-150
200mm x 200mm x 300mm	5"/6"	50 pcs	CSP-200

Medium/Hard Square White Sponges





Sponge Size	Pipe/Hose I.D That Can Be Cleaned	Box Quantity	PCS Product Code
150mm x 150mm x 150mm	3.5"/4"/5"	50 pcs	SSP-150-H
200mm x 200mm x 200mm	5"/6"/7"	50 pcs	SSP-200-H

Medium/Hard Cylinder White Sponges





	Pipe/Hose I.D That Can Be Cleaned	Box Quantity	PCS Product Code
150mm x 150mm x 200mm	3.5"/4"/5"	50 pcs	CSP-150-H
200mm x 200mm x 300mm	5"/6"/7"	50 pcs	CSP-200-H

Standard Bulk Pack Sponges

Medium/Hard Sponges



	Dina/Hasa I D That Can Be Claused		
Sponge Size	Pipe/Hose I.D That Can Be Cleaned	Pack Size	PCS Product Code
200mm x 200mm x 200mm	5"/6"	50 pcs	SSP-200-FC
200mm x 200mm x 350mm	5"/6"	30 pcs	SSP-200-350-FC
200mm x 200mm x 400mm	5"/6"	30 pcs	SSP-200-400-FC

Soft/Medium Rectangle Sponges





Sponge Size	Pipe/Hose I.D That Can Be Cleaned		PCS Product Code
180mm x 180mm x 350mm	5"/6"	30 pcs	SSP-180-350-FC

Different sizes can be made to order. Minimum quantities apply.



Concrete Washout Bags

- 0.8 cubic metre holding capacity / SWL 2,470Kgs
- 175cm x 105cm x 40cm size
- Made from ultra-durable Woven Polypropylene (internally coated)
- 600mm x 600mm reinforced square top opening for easy filling
- 4 x heavy duty lifting loops
- Fully meets Australian standards
- Enviromentally Friendly
- Available as a pack of 10pcs or a pallet of 100pcs

PCS Product Code

WOB-24









1 Tonne Bulka Bags



- 90cm x 90cm x 90cm size
- Safe Working Load: 1000kgs
- Safety Factor: 5:1
- Single use bag with 4 cross corner loops


Other bag sizes available upon request

PCS Product Code

BB-1T



Sponge Ball Catcher





900mm Steel Scraper

PCS Product Code	
SCR-1	

Blow Out Caps with Stainless Steel Fittings









- Victaulic End Blow out Cap with 19mm Air/Water Fitting
- Stainless steel nipples and t-piece
- Brass ball valve
- Great for blowing out certain sections of your line





Add -BH to our Product code. Eg: BOC-432-BH



Three Stage Blow Out Cap

Pipe/Hose To Blow Out	PCS Product Code
4"/3"/2"	BOC-432
4.5"(Schwing/Metric)/3"/2"	BOC-4532
5"/4"/3"	BOC-543
6"/5"/4"	BOC-654



Two Stage Victaulic Blow Out Cap

Pipe/Hose To Blow Out	PCS Product Code
5"/4"	BOC-54



Single Victaulic Blow Out Cap

Pipe/Hose To Blow Out	PCS Product Code
2" Schwing/Metric with 89mm O.D	BOC-2-89
4.5" Schwing/Metric	BOC-4.5
5"	BOC-5



6" High Pressure Putzmeister Female Blow Out Cap

PCS Product Code	
BOC-PM-F-6	









Three Stage 4"/3"/2" Victaulic Blow Out Cap with Pressure Gauge and 25mm Fittings

PCS Product Code	
BOC-432-PG	

Victaulic Blow Out Canon with Fittings

Great when using a square/cylinder sponge, water then a sponge ball to blow out

Pipe/Hose To Blow Out	PCS Product Code
4"	BOC-4-CN
5"	BOC-5-CN

Other sizes can be made upon request



Victaulic Blow Out Cap Replacement Parts

Air/Water Fittings Set

Fittings Size	PCS Product Code
19mm	BOC-19-F
25mm	BOC-25-F



Victaulic Blow Out Cap Replacement Parts

Blow Out Cap only

Blow Out Cap Size	PCS Product Code
4"/3"/2"	BOC-432-NF
5"/4"	BOC-54-NF
5"/4"/3"	BOC-543-NF
6"/5"/4"	BOC-654-NF

250PSI Yellow Continental Air / Water Hose assembly

Made in USA. 250 Psi Yellow Air Hose Assembly Comes with:

Crimped on Type A Minsup Fittings Available in 19mm and 25mm I.D Custom lengths avilable on request

Pre Cut Lengths	PCS Product Code
19mm x 5m	AWH-19-5-A-C
19mm x 20m	AWH-19-20-A-C
25mm x 20m	AWH-25-20-A-C



Concrete Remover



Con-Clean Concrete Remover

- Dry lubricant derived from Molybdenum disulphide allowing for application in high temperatures
- Safely remove concrete/cement from trucks and tools. Apply with broom or spray. Allow up to 20minutes dwell time. Remove concrete with pressure washer
- Safely removes concrete/cement from aluminium windows and glass. E.g. Industrial Clean ups. Will not etch glass, paint or aluminium
- Safely removes efflorescence, lime scale, mineral deposits from ceramic tiles bricks and pavers without attacking the surface.
- Safely removes hard water scale deposits from boilers (calcium) iron, iron oxides (rust), magnesium/manganese salts by chelation (forming water soluble complexes which are easily washed away)
- Hydrochloric acid replacement No fumes Far safer No corrosive 8 OH&S friendly
- -1 00% biodegradable and can be shipped without any hazmat markings.

Bottle/Drum Size	PCS Product Code
1L Ready to Use with Spray	CR-1-CC-SP-RTU
1L Concentrate	CR-1-CC
10L Concentrate	CR-10-CC
20L Ready to Use	CR-20-CC-RTU
25L Concentrate	CR-25-CC



Crete Off Ready to Use Concrete Remover

Crete Off Concrete Dissolver works by attacking and dissolving the "glue," or Portland, in concrete. It deconstructs the bond between the Portland and the other ingredients such as sand or gravel. It turns the material into a soft mush which does not require hazardous waste disposal.

- Great replacement product for acid and is not classified as a hazardous material.
- 100% biodegradable and can be shipped without any hazmat markings.

Bottle/Drum Size	PCS Product Code
750ml	CR-750-CO
5L With Pump	CR-5-CO
20L	CR-20-CO
208L(44GAL) available on request	CR-208-CO



True Grit Hand Cleaner

Heavy duty hand cleaner for industrial use designed to remove the toughest industrial soils from hands without stripping natural oils from the skin.

It contains natural citrus extracts and fine polyethylene beads to remove grease, oil, grime and most paints and inks. For best results do not pre-wet hands and apply a small amount to hands, massage in and then rinse with clean water. Repeat if necessary.

Bottle/Drum Size	PCS Product Code	
1L	HC-1-TG	
5L with Pump	HC-5-TG	
10L	HC-10-TG	


Super Tech Concentrated Truck Wash

- Designed to clean painted surfaces without agitation
- 1L of concentrated liquid will make 10L of truck wash



Bottle/Drum Size	PCS Product Code	
5L	TRW-5-C	
10L	TRW-10-C	
20L	TRW-20-C	

Concrete Pump Accessories





Concrete Hose Hook

- Great for repositioning concrete hoses during use
- Can be used on all sizes of concrete hoses

PCS Product Code
HOOK-1
HOOK-1-S

Concrete Hose Placement Ring

Great for controlling direction of concrete flow out of a delivery/lead hose

Hose Ring Size	PCS Product Code
2.5"	RING-25
3"	RING-30
3.5"	RING-35
۵"	RING-40





Concrete Boom Drop Hose Clamp

PCS Product Code

DHC-1

Concrete Boom Pump Outrigger Foot Pads

Made with heavy duty polyethylene material and includes a rope handle for easy lifting

Footpad Size	Groove Diameter	Load Capacity	PCS Product Code
500mm x 500mm x 50mm (Thickness)	400mm	35T	FP-500-400
600mm x 600mm x 60mm (Thickness)	400mm	45T	FP-600-400



24V Concrete Pump Hopper Vibrator

- Our special bolt hole patterns are designed to be compatible with all existing brands. Just use the existing mounting plate. It's that easy.
- Our hopper is commonly used on Junjin, Concord, Putzmeister, Schwing, Reed and many more
- Includes easy to read instruction manual for installation

PCS Product Code

HV-24V



Concrete Pump Remote

- Genuine Elsema Gigalink 4 Channel Remote

PCS Product Code

REM-4CH-GL

Replacement clear cover available PCS Product code: REM-4CH-C



Ultrasonic Thickness Tester

- Great for your monthly pipe tests as required in the concrete pump logbook
- Simply put some clear liquid soap on the pipe, place probe on the soap and a digital reading is given.
- Steel pipe measuring range from 1.2mm to 225mm
- Auto calibration
- Size 133mm x 70mm x 36mm. Weight 230gm

PCS Product Code

TT-1



Concrete Pump Logbook

- 12 monthly logbook required for ALL concrete pumps

PCS Product Code

LOG-1



Concrete Hose Stand







Great for getting concrete hoses up and over formwork or when wanting to prevent the hose from being damaged over an edge

Adjustable height from 200mm to 500mm Carbon steel rollers with bearings

PCS Product Code

HST-1

- Replacement roller also available. PCS Product code: HST-1-R

Foldable Concrete Hose Stand







- Dimensions when folded: 500mm x 500mm x 100mm
- Great for pumps with little room
- Lightweight Stand with adjustable height function

PCS Product Code

HST-1-F



Concrete Hose Plate



Great for getting concrete hoses moved across mesh without any clamps getting caught up Made from heavy duty 3mm steel
Can be used on all concrete hoses between 2" and 5"

PCS Product Code

CHP-1

Concrete Line/Trailer Pump Safety Sticker Set



Replacement pack of safety stickers for your concrete line/trailer pump. 18pcs in a set

PCS Product Code

STK-L

Concrete Boom Pump Safety Sticker Set



Replacement pack of safety stickers for your concrete boom pump. 45pcs in a set

PCS Product Code

STK-B



Double Sided Spanner

- For use with all victaulic bolt clamps
- Extra length to assist with loosening high pressure bolt clamps
- Please call for availability of other sizes



	PCS Product Code
19mm/24mm	SPN-1924
19mm/26mm	SPN-1926
24mm/26mm	SPN-2426



SuperLube 100™ Concrete Primer

SuperLube 100™ is a state-of-the-art liquid concrete pump primer uniquely formulated to provide the concrete contractor with a cost-effective replacement for premium priced grout, primer slurries or bagged cement primers.

It is environmentally safe and compatible with all concrete materials and contains no bentonite, cementitious materials, soaps or air entraining agents.

Advantages:

- Liquid mixes into solution much faster than it's inferior powdered counterparts
- No need for expensive ready-mixed priming grout
- Increases ease and range of pump ability
- Decreases wear on equipment
- Easily introduced into pumping equipment
- Decreases horsepower required for pumping
- Reduces friction and line pressure

Directions:

Shake well before opening.

Using a 20L drum pour ¼ of a bottle of SuperLube 100™ into 5L of water and mix for at least 5 minutes.

Just before you are ready to pump, mix another 15L of water and pour the product directly in the hopper. When the water becomes thick, you may begin priming. It is recommended that testing be done to determine the suitability of SuperLube 100^{TM} to your concrete applications

PCS Product Code

CP-SLB



novative



00 Truck Grease

Comes in a 15kg tub (18.7L)



GR-00-15KG



Disc Cutting Blades

Disc Size		PCS Product Code
4" x 1mm x 16mm	50	CBL-102-1-16-CW
4" x 2.5mm x 16mm	50	CBL-102.25-16
5" x 1mm x 22mm	50	CBL-127-1-22
16" x 3.2mm x 32mm	50	CBL-406-1



Black Annealed Tie Wire

- 1.57mm x 94m
- Shipped as 10 rolls per carton
- 64 Cartons per pallet (640 rolls)

PCS Product Code

TW-1.57-94



Wurth 1L Diesel Sprayer

Genuine Wurth Vacuum Pump Bottle with Viton seals for longer lasting use.

Dispenses many chemical types including Diesel, Brake Cleaner, Degreasers.

The 1 litre capacity bottle unscrews from the pump for easy filling.

Adjustable spray nozzle for mist or jet.

Durable plastic bottle.

PCS Product Code

DS-1L-W



Heavy Duty 441 Duct Tape

- Rubber Adhesive
- 0.13mm Thickness
- 48mm x 30m
- 60 rolls per carton

PCS Product Code

DCT-48-30



Wear Parts



We carry a limited number of wear parts including wear plates, wear rings and piston cups, please call **1300 210 910** for more information on what we can supply.

Weldable Concrete Steel Pipes



Weldable Elbows

Pipe I.D			PCS Product Code
3"	45D	50mm	ELB-3-R114-45D-W
3"	90D	35mm	ELB-3-R76-90D-W
4"	45D	35mm	ELB-4-R100-45D-W
4"	90D	50mm	ELB-4-R100-90D-W
4"	45D	70mm	ELB-4-R150-45D-W
4"	90D	100mm	ELB-4-R150-90D-W
5"	90D	65mm	ELB-5-R130-90D-W
5"	45D	90mm	ELB-5-R187-45D-W
5"	90D	125mm	ELB-5-R200-90D-W





Weldable T-Piece

Pipe I.D	Length	PCS Product Code
3"	170mm	TP-3-170-W
4"	210mm	TP-4-210-W
5"	260mm	TP-5-260-W

Weldable Reducer

Pipe I.D	Length	PCS Product Code
4" to 3"	140mm	RED-43-140-W
5" to 4"	200mm	RED-54-200-W

Concreting Tools/Machinery



As a distributor for Crommelins, PCS has access to a wide range of products to suit your concreting needs. Spare parts are available on request.

Concrete Vibrator Shafts 6m Length



Coming in 25, 28, 38, 45, 60mm Vibe shaft Sizes these attach to '3 dog' shafts on Drive units. They are designed to remove bubbles on concrete pours.

The shaft is easy to service, has a high quality inner and outer shell and is backed by Crommelins 12 Month manufacturer's warranty.

- 2 Piece oil seals
- Designed for easy servicing
- High tension spring coupling
- Protective spirals to minimise kinking
- High quality inner & outer casing
- Self-aligning double row ball bearings
- 12 Month manufacturer's warranty

Shaft Size	PCS Product Code
25mm	VSH-25-6
28mm	VSH-28-6
38mm	VSH-38-6
45mm	VSH-45-6
60mm	VSH-60-6

Portable Concrete Vibrator Shafts



PCS Product Code

PV5H-45

The Crommelins take-anywhere 45mm Portable Vibrator that will do several jobs that previously could only be done by larger drive units and shafts. The portability and weight means that this unit is easy to use and saves dragging around heavy Drive Units and Vibrator Shafts. Ideal for footings, stairways and foot paths. Crommelins have also updated the handle and harness and have added a New throttle control on the shaft to fit comfortably in your hand.

- 45mm Vibrator shaft
- New Throttle control on shaft with soft grip handle for low vibration
- 4 stroke petrol engine means reduced engine emissions and no mixing of fuel is required
- Proportionately balanced design is also lightweight
- 45mm Vibrator shaft
- Anti-roll bar to protect the engine from damage in transit.
- Full length steel reinforcing spiral which provides increased strength to the poker hose
- Resilient Nose model (PV45SRN)
- 3yr Subaru engine warranty



6.0hp Crommelins Petrol Drive Unit



PCS Product Code

FD-U-6

This 6.0hp Drive Unit will drive 2" (50mm) Submersible Flexible Drive Pumps such as Crommelins FP2T model and Concrete Vibrators (See Crommelins JV range).

It comes complete with a heavy-duty roll frame to protect it from damage and is backed by Crommelins award winning spare parts and service. (Upgraded from 5.0hp to 6.0hp)

- Rubber mounted sub-frame between engine and HD frame to ensure reduced vibration
- Full heavy duty protective roll frame
- Electronic oil sensor on petrol units
- Drives 2" (50mm) Flexible Drive Submersible Pumps (FP2T & FP2TA)
- Drives 20 65mm Vibrator Shafts
- 3 Year Subaru engine warranty



5.5hp Crommelins Diesel Drive Unit



PCS Product Code

FD-U-55-D

This 5.5hp Diesel Drive Unit will drive 2" (50mm) Submersible Flexible Drive Pumps and Concrete Vibrators (with 3 dog shafts). It comes complete with a heavy-duty roll frame to protect it from damage and is backed by Crommelins award winning spare parts and service.

The Diesel model is also suitable for mine applications where petrol is not allowed and can be equipped with fire extinguisher, full bunding, electric start, emergency safety stop and features that OHS require for your mine-site.

- Rubber mounted sub-frame between engine and HD frame to ensure reduced vibration
- Full heavy duty protective roll frame
- Drives 2" (50mm) Flexible Drive Submersible Pumps (FP2T & FP2TA)
- Drives 20 65mm Vibrator Shafts
- 3 Year Subaru engine warranty



6m Extension Drive Shaft



PCS Product Code

FD-E-6

A 6m Extension Shaft to suit all 3 dog Drive Flex Drive pumps or Vibrator Shafts, 15mm inner core cable, 60kg.







1300 210 910 | sales@pcs.com.au pcs.com.au



Precision Construction Supplies is a privately owned family run business, We aim to deliver exceptional customer service while ensuring fast deliveries Australia Wide. Please contact us today to let us help you.

Precision Construction Supplies
Unit 3/13 Frost Road
Campbelltown NSW 2560
1300 210 910
sales@pcs.com.au